

Technical characteristics 2023



Layouts

BUNK BEDS

EASY ★★★

470PE KID'S
6,40 x 2,30 m x 6

EASY ★★★

490PE KID'S
6,70 x 2,30 m x 6

EASY ★★★

496PE KID'S
6,70 x 2,30 m x 6

EVOLUTION ★★★★★

496PE KID'S
6,95 x 2,30 m x 4

EVOLUTION ★★★★★

580PE KID'S
7,55 x 2,30 m x 6

ISLAND BED

EVOLUTION ★★★★★

490CP
6,75 x 2,30 m x 4

EVOLUTION ★★★★★

540CP
7,35 x 2,30 m x 4

ALIZE ★★★★★

560CP
7,80 x 2,30 m x 4

TWIN BEDS

EASY ★★★

472LJ
6,40 x 2,10 m x 4

EVOLUTION ★★★★★

492LJ
6,75 x 2,30 m x 4

EVOLUTION ★★★★★

542LJ
7,35 x 2,30 m x 4

ALIZE ★★★★★

550LJ
7,80 x 2,30 m x 4

TRANSVERSE BED

EASY ★★★

350CP
5,20 x 2,10 m x 2

EASY ★★★

390CP
5,70 x 2,10 m x 4

EASY ★★★

420CP
5,90 x 2,10 m x 4

EASY ★★★

430CP
6,20 x 2,30 m x 4

FRENCH BED

EVOLUTION ★★★★★

520CP
6,95 x 2,30 m x 4

Graphite EDITION

480CP
6,70 x 2,30 m x 4

450LJ
6,40 x 2,30 m x 4

470CP
6,40 x 2,30 m x 4

Our 4 ranges

Easy
★★★
P 04 - 05

FURNITURE

FABRIC NAPOLI

FABRIC OTTAWA

FURNITURE GREY

FABRIC SIDNEY

COMFORT FINISH

Evolution
★★★★★
P 06 - 07

FURNITURE

FABRIC BERLIN

FABRIC LONDON

FABRIC PARIS (OPTION)

GRP SIDES TAUPE

Alize
★★★★★
P 08 - 09

FURNITURE

FABRIC CANBERRA

ELECTRIC DOORSTEP

SKYVIEW AS STANDARD

Graphite
EDITION
P 10 - 11

FURNITURE

EXCLUSIVE FABRIC AUSTIN

GRP SIDES GREY

2

3




Easy ★★★

	350CP	390CP	420CP	430CP	470PE KID'S	472LJ	490PE KID'S	496PE KID'S
COMFORT FINISH (50KG)	×	○	○	✓	○	✓	○	○
WEIGHTS (M) & DIMENSIONS (KG)								
Berths	2	4	4	4	6	4	6	6
Overall length	5,20	5,70	5,90	6,20	6,40	6,40	6,70	6,70
External body length	4,10	4,60	4,80	5,10	5,30	5,30	5,60	5,60
Internal length	3,50	4,00	4,20	4,50	4,70	4,70	5,00	5,00
Overall height / Internal height	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95
Overall width	2,10	2,10	2,10	2,30	2,30	2,10	2,30	2,30
Internal width	1,95	1,95	1,95	2,15	2,15	1,95	2,15	2,15
Empty weight	730	760	805	1000*	970	925	1019	1019
Mass in running order +/-5%	757 / 817*	787 / 837*	832 / 882*	1027*	1017 / 1067*	952*	1047 / 1100*	1047 / 1100*
Max authorized weight	1000 / 1100*	1000 / 1100*	1000 / 1100*	1200	1200	1200	1300	1300
Administrative payload modification	850-1300	950-1300	950-1300	1300	1100/1300	1100-1300	1200-1500	1200-1500
Awning length +/-5%	8,24	8,74	8,94	9,24	9,44	9,44	9,74	9,74
Spare wheel dimensions	185/70 R14	185/70 R14	185/70 R14	175R14C	175R14C	175R14C	175R14C	175R14C
CHASSIS								
Stabiliser coupling AKS 3004 (3 kg)	P	P	P	✓	P	✓	P	P
Shock-absorbers (3 kg)	P	P	P	✓	P	✓	P	P
Heavy duty corner steadies (x4)	○	○	○	○	○	○	○	○
Steel spare wheel (front trunk) (16kg)	○	○	○	○	○	○	○	○
Spare-wheel fixation (front trunk) (2kg)	P	P	P	✓	P	✓	P	P
Aluminum wheels (16 kg)	○	○	○	○	○	○	○	○
Aluminum side walls	✓	✓	✓	×	✓	×	✓	✓
Polyester side walls	×	P	P	✓	P	✓	P	P
Bicycle storage	×	×	×	×	✓(105x65)	×	✓(105x65)	✓(105x105)
Luggage door (100x40 cm) (2 kg)	×	P	P	✓	P	✓	P	P
Luggage door (75x30 cm) (2 kg)	×	P	P	×	×	×	P	×
Double-paned opening window	3	4	3	4	5	5	5	6
Front window (3kg)	✓	✓	✓	✓	✓	×	✓	✓
Air-conditioning (30kg)	○	○	○	○	○	○	○	○

* With COMFORT FINISH.
 IMPORTANT : adding optional equipment reduces the user payload. The Mass in Running Order includes the weight of the caravan with the standard equipment.

✓ STANDARD ○ OPTIONAL ✗ NOT AVAILABLE P PACK

Find the technical info at
www.sterckeman-caravans.com



	350CP	390CP	420CP	430CP	470PE KID'S	472LJ	490PE KID'S	496PE KID'S
EQUIPMENT								
Mosquito-net entrance door (3 kg)	○	○	○	○	○	○	○	○
Skylight (70x50 cm) (2 kg)	○	○/P	○/P	✓	○/P	✓	○/P	○/P
LED spotlights for reading with USB	×	P	P	✓	P	✓	P	P
Cushions "Sidney"	×	P	P	✓	P	✓	P	P
HEATER								
Boiler Truma Thermo 5L (230V) (4 kg)	P	P	P	✓	P	✓	P	P
Blown air (12V) (4 kg)	○	○	○	○	○	○	○	○
Auxiliary heater ULTRAHEAT (230V) (4kg)	○	○	○	○	○	○	○	○
Electrical floor heating (5kg)	○	○	○	○	○	○	○	○
KITCHEN								
Three-way Fridge 85L (12V/230V/GAS)	✓	✓	✓	×	✓	✓	×	×
Compressor Fridge XL FREEZE 150L (15kg)	×	×	×	✓	✓*	×	✓	✓
Fresh water tank 25L (Removable)	✓	✓	✓	×	✓	×	✓	✓
Fresh water tank 50L (Fixed) (3kg)	P	P	P	✓	P	✓	P	P
Waste water tank 30L (Wheeled) (3kg)	P	P	P	✓	P	✓	P	P
BATHROOM								
Flexible handshower (2kg)	P	P	P	✓	P	✓	P	P
Shower curtain (2kg)	P	P	P	✓	P	✓	P	P
Shower column	×	P/✓*	×	×	×	✓	×	P/✓*
Electric cassette toilet	✓	✓	✓	✓	✓(Manual)	✓	✓	✓
BEDROOM								
Dimensions front bed (cm)	140x195 of 195/205x195	140x195	140x195	150x210	140x210	70/95x195/205 of 195/205x195	140x210	140x210
Dimensions centre bed (cm)	55/65x190	×	100x170	×	110x170	×	100 x 170	100x170
Dimensions rear bed (cm)	×	125/90x190	×	145/120 x190	(75x210) x2	125/90x190	(75x210)x2	(85x185)x2
Matresses 12 cm thick	✓	P	✓	×	✓	×	✓	✓
Matresses 15 cm thick	×	P	P	✓	P	✓	P	P
ELECTRICAL INSTALLATION								
Pre equipment Leisure battery (2kg)	○	○	○	○	○	○	○	○
Sockets 230V	3	3	3	3	3	3	3	3

EQUIPMENT AS STANDARD

CHASSIS/CARROSSERIE

- Longer corner steadies
- Wheel trims
- Exclusive IRP Technology
- Aluminum side walls
- Front window
- Awning light
- Bike stand preparation rear

EQUIPMENT

- Combined blinds & fly nets

HEATER

- Heater TRUMA 3004 (GAS)

KITCHEN

- Combined 3-burner stove and stainless steel sink with glass cover

BATHROOM

- Shower tray

BEDROOM

- Litable slatted bed base
- Mattresses 12 cm thick

ELECTRICAL INSTALLATION

- Transformer/charger module 230V/12V including ground fault circuit breaker
- Light dimmer
- Pre equipment Air-conditioning
- Pre equipment TV : SAT and 230V sockets
- LED interior lighting

PACKS (IN OPTION)

PACK SHOWER

- Boiler Truma Thermo 5L (230V)
- Flexible handshower

8 KG

PACK TOURING

- Shock-absorbers
- Stabiliser coupling AKS 3004
- Luggage door (75x30 cm)

14 KG

COMFORT FINISH

- Polyester side walls
- Stabiliser coupling AKS 3004
- Shock-absorbers
- Luggage door (100x40 cm)
- Skylight (70x50 cm)
- Boiler Truma Thermo 5L (230V)
- Waste water tank 30L (Wheeled)
- Fresh water tank 50L (Fixed)
- Shower curtain
- Flexible handshower
- Cushions "Sidney"
- Mattresses 15 cm thick
- Bi-color cupboards doors
- Backlit under cupboard storage
- LED lights x4
- Spare-wheel fixation (front trunk)

50 KG



Evolution ★★★★★



	490CP	492LJ	496PE KID'S	520CP	540CP	542LJ	580PE KID'S
WEIGHTS (M) & DIMENSIONS (KG)							
Berths	4	4	6	4	4	4	6
Overall length	6,75	6,75	6,95	6,95	7,35	7,35	7,55
External body length	5,60	5,60	5,80	5,80	6,20	6,20	6,40
Internal length	5,00	5,00	5,20	5,20	5,60	5,60	5,80
Overall height / Internal height	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
Overall width	2,30	2,30	2,30	2,30	2,30	2,30	2,30
Internal width	2,15	2,15	2,15	2,15	2,15	2,15	2,15
Empty weight	1125	1185	1205	1180	1285	1285	1335
Mass in running order +/-5%	1142	1202	1222	1197	1302	1302	1352
Max authorized weight	1500	1500	1500	1500	1500	1500	1600
Administrative payload modification	1400	1400	1400	1400	1800	1800	1800
Awning length +/-5%	9,74	9,74	9,94	9,94	10,34	10,34	10,54
Spare wheel dimensions	175R14C	175R14C	175R14C	175R14C	185R14C	185R14C	185R14C



	490CP	492LJ	496PE KID'S	520CP	540CP	542LJ	580PE KID'S
CHASSIS							
Anti-snaking system ATC (factory fitted) (5kg)	O	O	O	O	O	O	O
Steel spare wheel (front trunk) (16kg)	O	O	O	O	O	O	O
Roue de secours aluminium (sous-plancher) (16kg)	P	P	P	P	P	P	P
Spare-wheel fixation (under-floor) (2 kg)	P	P	P	P	P	P	P
Aluminum wheels (16 kg)	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Drawbar cover (2 kg)	P	P	P	P	P	P	P
XL Entrance door (61 cm)	X	X	X	X	✓	✓	✓
Bicycle storage	X	X	✓ (105 x 105)	X	X	X	✓ (105 x 105)
Luggage door (75x30 cm) (2 kg)	P	P	X	P	P	P	X
Double-paned opening window	7	8	7	6	7	7	6
Front window (3 kg)	✓	✓	✓	X	✓	✓	✓
Exterior TV socket on the awning side (12V/230V) (1 kg)	P	P	P	P	P	P	P
Exterior Gas socket (1 kg)	P	P	P	P	P	P	P
Exterior handshower socket (1 kg)	P	P	P	P	P	P	P
Exterior city water socket (1 kg)	P	P	P	P	P	P	P
Electric doorstep (7 kg)	P	P	P	P	P	P	P
Air-conditioning (30kg)	O/P	O/P	O/P	O/P	O/P	O/P	O/P

Find the technical info at
www.sterckeman-caravans.com



VIDEOS & 360°



TECHNICAL INFO



OPTIONS

✓ STANDARD ○ OPTIONAL ✗ NOT AVAILABLE P PACK



	490CP	492LJ	496PE KID'S	520CP	540CP	542LJ	580PE KID'S
EQUIPMENT							
Skylight (90x60 cm) (2kg)	P	P	X	P	P	P	P
Skyview	X	X	X	X	✓	✓	X
Smoke detector	P	P	P	P	P	P	P
Cushions "Paris"	O	O	O	O	O	O	O
Kit Comfort (2 Headrests, 2 Lumbar supports, 2 Decorative cushions) (5kg)	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Carpet (7kg)	O	O	O	O	O	O	O
HEATER							
Boiler Truma Therme 5L (230V) (4 kg)	✓	✓	X	X	X	X	X
Boiler Truma Therme 14L (230V) (230V)	X	X	✓	✓	X	X	X
Boiler Truma Therme 10L (230V/GAS) (11 kg)	X	X	O	O	X	X	X
Heater TRUMA 3004 (GAS)	✓	✓	✓	✓	X	X	X
Heater / Boiler TRUMA COMBI 4 (GAS)	X	X	X	X	✓	✓	✓
Heater / Boiler (10L) TRUMA COMBI 6E (230V/ GAS) (16kg)	X	X	X	X	P	P	P
Auxiliary heater ULTRAHEAT (230V) (4kg)	O/P	O/P	O/P	O/P	X	X	X
Electrical floor heating (5kg)	O/P	O/P	O/P	O/P	O/P	O/P	O/P
BATHROOM							
Flexible handshower (2kg)	✓	✓	X	✓	✓	✓	✓
Shower curtain (2kg)	✓	✓	X	X	X	X	X
Shower column + folding door + polyester walls	X	X	✓	✓	Variobad	Variobad	✓
Ventilated skylight (40x40 cm) with towel rail (2kg)	P	P	P	P	P	P	P
BEDROOM							
Dimensions front bed (cm)	150x200	(85x195) en (85x200) of 195x210	140x205	140/135x200	150/120x210	150/130x210	160x205
Dimensions centre bed (cm)	X	X	180x130	X	X	X	180 x 130
Dimensions rear bed (cm)	125/110x210	130/120x210	(75x190)x2	160/130x210	150x200	(85x200)x2 or 200x210	(75x190)x2
Adjustable head bed part	X	✓	X	X	X	✓	X
ELECTRICAL INSTALLATION							
I-NET BOX for remote control of Heating & Air-conditioning (0,5kg)	X	X	X	X	✓	✓	✓
Sockets USB	✓	✓	✓	✓	X	X	✓
Sockets 230V	4	4	5	4	5	5	5

EQUIPMENT AS STANDARD

CHASSIS

- Stabiliser coupling AKS 3004
- Shock-absorbers
- Longer corner steadies
- Heavy duty corner steadies (x4)
- Wheel trims
- Exclusive IRP Technology
- Polyester side walls
- Entrance door with black window
- Luggage door (100x40 cm)
- Awning light
- Bike stand preparation rear

EQUIPMENT

- Mosquito-net entrance door
- Combined blinds & fly nets
- Skylight (70x50 cm)
- TV Brackett
- Illuminated mirror

HEATER

- Blown air (12V)

KITCHEN

- Compressor Fridge XL FREEZE 150L
- Combined 3-burner stove and stainless steel sink with glass cover
- Fresh water tank 50L (Fixed)
- Waste water tank 30L (Wheeled)

BATHROOM

- Shower tray

BEDROOM

- Lifiable slatted bed base
- Mattresses 15 cm thick

ELECTRICAL INSTALLATION

- Control panel
- Transformer/charger module 230V/12V including ground fault circuit breaker
- Light dimmer
- Pre equipment Air-conditioning
- Pre equipment Leisure battery
- Pre equipment TV : SAT and 230V sockets
- LED interior lighting

PACKS (IN OPTION)

PACK PREMIUM

- Aluminum wheels
- Aluminum spare wheel (under-floor)
- Exterior Gas socket
- Exterior handshower socket
- Exterior city water socket
- Exterior TV socket on the awning side (12V/230V)
- Luggage door (75x30 cm) (1)
- Electric doorstep
- Drawbar cover

- Skylight (90x60 cm) (2)
- Ventilated skylight (40x40 cm) with towel rail
- Kit Comfort (2 Headrests, 2 Lumbar supports, 2 Decorative cushions)
- Smoke detector
- Administrative payload modification
- Heater / Boiler (10L) TRUMA COMBI 6E (230V/GAS) (3)

51 KG

(1) Except for 496PE KID'S and 580PE KID'S
 (2) Instead of the Skylight (70x50 cm) and not available for 496PE KID'S
 (3) Instead of the COMBI 4 for 540CP / 542LJ / 580PE KID'S

PACK ARCTIC

- Air-conditioning
- Auxiliary heater ULTRAHEAT (230V)
- Electrical floor heating

39 KG



Alize ★★★★★

	550LJ	560CP
WEIGHTS (M) & DIMENSIONS (KG)		
Berths	4	4
Overall length	7,80	7,80
External body length	6,60	6,60
Internal length	5,80	5,80
Overall height / Internal height	2,58/1,95	2,58/1,95
Overall width	2,30	2,30
Internal width	2,15	2,15
Empty weight	1520	1520
Mass in running order +/-5%	1537	1537
Max authorized weight	1900	1900
Administrative payload modification	1800	1800
Awning length +/-5%	10,47	10,47
Spare wheel dimensions	195R14C	195R14C
CHASSIS		
Anti-snaking system ATC (factory fitted) (5kg)	○	○
Luggage door (100x40 cm) (2kg)	✓ (2)	✓ (2)
Double-paned opening window	7	7
Air-conditioning (30kg)	○	○

	550LJ	560CP
EQUIPMENT		
Carpet (7kg)	○	○
HEATER		
Electrical floor heating (5kg)	○	○
BEDROOM		
Dimensions front bed (cm)	140/150x210	140/150x210
Dimensions rear bed (cm)	85x200 & 85x210	150x200
Adjustable head bed part	✓	✗
ELECTRICAL INSTALLATION		
Sockets USB	2	2
Sockets 230V	6	6



ZOOM on...

TRUMA COMBI 6E

This combines the heating and water heater functions in a single appliance.

The Truma Combi 6E is a powerful warm air heater (6000 W) with integrated hot water generator.

It allows the heating to be run in gas mode, electricity mode, or combi mode. For use when stationary at the campsite, you can run the Combi heating with the 12 V transformer without using the onboard power supply.

Pack CONNECT



TRUMA I-NET X

Control the heating and air conditioning from the application on your smartphone.

The Truma iNet X is a central control unit that networks the Truma appliances in the caravan. The iNet X can be used to control the Truma Combi heating and/or air conditioning remotely with a smartphone or tablet, wherever the user is, and can also check the gas level.

Pack CONNECT

EQUIPMENT AS STANDARD

- CHASSIS**
 - Stabiliser coupling AKS 3004
 - Shock-absorbers
 - Heavy duty corner steadies (x4)
 - Spare-wheel fixation (under-floor)
 - Aluminum wheels
 - Drawbar cover
 - Exclusive IRP Technology
 - Polyester side walls
 - XL Entrance door (61 cm)
 - Front window
 - Awning light
 - Exterior TV socket on the awning side (12V/230V)
 - Exterior Gas socket
 - Exterior city water socket
 - Electric doorstep
- BATHROOM**
 - Separated shower cabin
 - Ventilated skylight (40x40 cm) with towel rail
- ELECTRICAL INSTALLATION**
 - Control panel
 - Transformer/charger module 230V/12V including ground fault circuit breaker
 - I-NET X for remote control of Heating & Air-conditioning
 - Light dimmer
 - Pre equipment Air-conditioning
 - Pre equipment SAT
 - Pre equipment Solar panel
 - Pre equipment Leisure battery
 - Pre equipment TV : SAT and 230V sockets
 - LED interior lighting
- EQUIPMENT**
 - Mosquito-net entrance door
 - Combined blinds & fly nets
 - Skylight (70x50 cm)
 - Skylight (90x60 cm)
 - Skyview
 - Smoke detector
 - TV Brackett
- HEATER**
 - Heater / Boiler (10L) TRUMA COMBI 6E (230V/GAS)
 - Blown air (12V)
- KITCHEN**
 - Three-way Column Fridge 140L Silm

PACKS (STANDARD INCLUDED)

- PACK CONNECT**
 - Heater / Boiler (10L) TRUMA COMBI 6E (230V/GAS)
 - Aluminum wheels
 - Aluminum spare wheel (under-floor)
 - Spare-wheel fixation (under-floor)
 - Drawbar cover
 - Pre equipment TV : SAT and 230V sockets
 - Pre equipment Solar panel
 - Integrated oven/grill (GAS)
 - Extractor hood
 - Exterior city water socket
 - Exterior TV socket on the awning side (12V/230V)
 - Luggage door (100x40 cm) x2
 - Liftable slatted bed base
 - Matresses 17 cm thick
 - Ventilated skylight (40x40 cm) with towel rail
 - Skylight (70x50 cm)
 - Skylight (90x60 cm)
 - I-NET X for remote control of Heating & Air-conditioning
 - Rounded lounge with headrest
 - Electric doorstep
 - Folding table on central leg with flexible top
 - Technical payload modification (1900kg)
 - Night lighting on the ground
 - Shower column with light
 - LED lights under cupboards
 - Smoke detector





	450LJ	470CP	480CP
WEIGHTS (M) & DIMENSIONS (KG)			
Berths	4	4	4
Overall length	6,40	6,40	6,70
External body length	5,30	5,30	5,60
Internal length	4,70	4,70	5,00
Overall height / Internal height	2,58/1,95	2,58/1,95	2,58/1,95
Overall width	2,30	2,30	2,30
Internal width	2,15	2,15	2,15
Empty weight	980	1000	1020
Mass in running order +/-5%	997	1017	1037
Max authorized weight	1300	1300	1300
Administrative payload modification	1200/1500	1200/1500	1200/1500
Awning length +/-5%	9,44	9,44	9,74
Spare wheel dimensions	175R14C	175R14C	175R14C
CHASSIS			
Anti-snaking system ATC (factory fitted) (5kg)	○	○	○
Double-paned opening window	5	6	5
Front window (3kg)	×	✓	×
Air-conditioning (30kg)	○	○	○

	450LJ	470CP	480CP
HEATER			
Auxiliary heater ULTRAHEAT (230V) (4kg)	○	○	○
Electrical floor heating (5kg)	○	○	○
KITCHEN			
Three-way Fridge 85L (12V/230V/GAS)	✓	×	×
Compressor Fridge XL FREEZE 150L (15kg)	×	✓	✓
BATHROOM			
Shower column + curtain	×	✓	×
BEDROOM			
Dimensions front bed (cm)	(85x195) en (85x200) of 195x210	120/150x210	150x200
Dimensions rear bed (cm)	110/100x195	140x200	120/110x190
Adjustable head bed part	✓	×	×
ELECTRICAL INSTALLATION			
Sockets 230V	4	5	4

A MODULAR and GENEROUS SLEEPING AREA



450LJ

TWIN BEDS

85 x 195 cm and 85 x 200 cm twin beds which can be converted into a 195 x 200 cm sleeping area.



470CP

A SPACIOUS U-SHAPED LIVING ROOM

Accommodating at least 6-7 people



480CP

CENTRAL BED

A central bed for unbeatable easy of movement in the bedroom.

- EQUIPMENT AS STANDARD**
- CHASSIS**
- Stabiliser coupling AKS 3004
 - Shock-absorbers
 - Longer corner steadies
 - Heavy duty corner steadies (x4)
 - Steel spare wheel (front trunk)
 - Spare-wheel fixation (front trunk)
 - Aluminum wheels
 - Drawbar cover
 - Exclusive IRP Technology
 - Polyester side walls
 - Entrance door with black window
 - Luggage door (100x40 cm)
 - Awning light
 - Roof bar black
 - Bike stand preparation rear
- KITCHEN**
- Combined 3-burner stove and stainless steel sink with glass cover
 - Fresh water tank 50L (Fixed)
 - Waste water tank 30L (Wheeled)
- BATHROOM**
- Shower tray
 - Flexible handshower
 - Shower curtain
 - Electric cassette toilet
- BEDROOM**
- Liftable slatted bed base
 - Mattresses 15 cm thick
- ELECTRICAL INSTALLATION**
- Control panel
 - Transformer/charger module 230V/12V including ground fault circuit breaker
 - Light dimmer
 - Pre equipment Air-conditioning
 - Pre equipment Leisure battery
 - Pre equipment TV : SAT and 230V sockets
 - LED interior lighting
- EQUIPMENT**
- Mosquito-net entrance door
 - Combined blinds & fly nets
 - Skylight (70x50 cm)
 - Smoke detector
 - TV Brackett
 - LED spotlights for reading with USB
- HEATER**
- Boiler Truma Therme 5L (230V)
 - Heater TRUMA 3004 (GAS)
 - Blown air (12V)

- FULLY EQUIPPED**
- Blown air (12V)
 - Administrative payload modification (1500 Kg)
 - Heavy duty corner steadies (x4)
 - Aluminum wheels
 - Drawbar cover
 - Combined blinds & fly nets
 - Control panel
 - Roof bar black
 - ABS rear bumper with integrated rear lights
 - Entrance door with black window
 - Polyester side walls
 - TV Brackett
 - Cushions "Austin"
 - Bedspread (Depending on model)
 - Adjustable head bed part (Depending on model)
 - Front window (Depending on model)
 - Additional upper cupboard
 - Compressor Fridge XL FREEZE 150L (Depending on model)
 - Smoke detector
 - Pre equipment Leisure battery



360° VIDEOS & 360°

TECHNICAL INFO

OPTIONS



sterckeman-caravans.com



Videos
360°



Technical
info



Options

TRIGANO VDL

1, avenue de Rochebonne - CS 69003 -
07302 TOURNON-SUR-RHÔNE CEDEX FRANCE



Sterckeman.
by **TRIGANO**



Sterckeman contributes to sustainable forest management by printing on PEFC-certified paper.



All paper is sorted and recycled

Some models photographed in this catalogue may be shown with equipment supplied as an option. The characteristics of photographed models may vary from one country to the next. Despite the care taken in producing this catalogue, this cannot be viewed as a contractual document. STERCKEMAN reserves the right to modify its models without prior notice. STERCKEMAN cannot be held liable for any modifications made by its suppliers nor typographical errors when printing these documents. It is forbidden to reproduce, even partially, text or document. Do not litter the public highway. Your retailer is at your disposal to advise you and provide you with any additional information. Where there are multilingual versions, the French text is the binding version. All technical characteristics (texts and photos) valid at the time of printing (August 2021) are provided by STERCKEMAN for general guidance. They may be subject to modification, often because of technical progress. Non-contractual document.